

FURIA 950 ASC - Cadet
FURIA 950 ASC - Minime

C04.45
C04.46

Chassis for 2 strokes engines

Rotax Mini Max (Cadet) / Iame Gazelle 60 (Minime)

Homologation

CIK 022-CH-76

Technical definition


Black frame

Ø 28 tubes

950 mm wheelbase

552 mm side-members distance

18 ° caster angle



Technical features

4,5 L removable fuel tank

Aluminium floor tray with sticker

TEKNEEX 8 ° engine mount

TEKNEEX Racing Polyester seat PUFFO-BABY-MINI Std

TEKNEEX Élite Fibre seat XXS/XS Opt

TILLET T11 VG NSTYLE seat XS/S Opt

Fully-padded TILLET T7 seat XS/S Opt

Black KG MK 20 spoiler and front panel

Black KG MK 20 side pods

Black KG HULK rear bumper (depending on country)

Black KG TRIS rear bumper (depending on country)

Bodywork Racing stickers kit Opt

Black plastic full chain casing with mounting kit

Ø 20 steering column

Ø 10 steering column ball joint steel/steel

Sodi Racing steering wheel

Ø 17 stub axle - Minime

Ø 25 stub axle - Cadet

Ø 17 L 60 mm aluminium front wheel hub - Minime

Caster angle eccentric + 1°, quick adjustment

Ø 30 L 960 mm TM30 hollow axle

Ø 30/62 C4 roller bearing (x 2)

Ø 62 aluminium bearing cage

L 70 mm Ø 30 aluminium rear wheel hub

Black aluminium 115/140 rims

TEKNEEX F15 CIK 022-B2-14 hydraulic rear brake

Ventilated Ø 175 brake disc

Floating brake disc support

Ø 19 master cylinder

2 Ø 24 pistons calliper

Set of Red brake pads

Steel brake rod with safety cable

Chassis adaptation for engine

ROTAX Engines	Engine mount drilled for ROTAX engine Silencer mount adjusted for MINI MAX Parts for engine adaptation
GAZELLE Engines	Engine mount drilled for GAZELLE engine Silencer mount adjusted for GAZELLE Parts for engine adaptation

Complementary accessories

- 2°/3°/4°/5°/6°/0° eccentrics
- Ø 17 L 50/75 mm aluminium front wheel hub
- Ø 30 TS30 THH30 hollow axle
- Ø 30 L 30/50 mm aluminium rear wheel hub
- Heel-rest kit
- Set of 2 adjustable pedals
- 150 rear rims
- 130 mag front wheel rims

KART FURIA - MINI MAX CADET

K04.45

Engine	ROTAX MINI MAX
Tyres	VEGA M1
Chain	ROTAX Premium 96 to 98 links
Rear sprocket	29 " - 65 to 75 teeth
Chassis adjustments	Engine mount drilled for ROTAX engine Silencer mount adjusted for MINI MAX Parts for engine adaptation

KART FURIA - GAZELLE MINIME

K04.46

Engine	IAME GAZELLE 60
Tyres	VEGA Cadetti
Chain	ROTAX Premium 96 to 98 links
Rear sprocket	29 " - 65 to 75 teeth
Chassis adjustments	Engine mount drilled for GAZELLE engine Silencer mount adjusted for GAZELLE Parts for engine adaptation

Rotax Transmission

Engine sprocket	65	66	67	68	69	70	71	72	73	74	75
12	5,41 (96 l.)	5,50 (96 l.)	5,58 (96 l.)	5,66 (96 l.)	5,75 (96 l.)	5,83 (96 l.)	5,92 (98 l.)	6,00 (98 l.)	6,08 (98 l.)	6,16 (98 l.)	6,25 (98 l.)

FURIA 950 ASC - 4T

C04.48

Chassis for 4 strokes engines

Homologation

CIK 022-CH-76

Technical definition


Black frame

Ø 28 tubes

950 mm wheelbase

552 mm side-members distance

18 ° caster angle



Technical features

4,5 L removable fuel tank

Aluminium floor tray with sticker

4 strokes engine mount

TEKNEEX Racing Polyester seat PUFFO-BABY-MINI Std

TEKNEEX Élite Fibre seat XXS/XS Opt

TILLET T11 VG NSTYLE seat XS/S Opt

Fully-padded TILLET T7 seat XS/S Opt

Black KG MK 20 spoiler and front panel

Black KG MK 20 side pods

Black KG HULK rear bumper (depending on country)

Black KG TRIS rear bumper (depending on country)

Bodywork Racing stickers kit Opt

Black plastic chain guard

Ø 20 steering column

Ø 10 steering column ball joint steel/steel

Sodi Racing steering wheel

Ø 17 sub axle

Ø 17 L 60 mm aluminium front wheel hub

Caster angle eccentric + 1°, quick adjustment

4 strokes Ø 30 L 960 mm hollow axle

Ø 30/62 C4 roller bearing (x 2)

Ø 62 aluminium bearing cage

L 70 mm Ø 30 aluminium rear wheel hub

Black aluminium 115/140 rims

TEKNEEX F15 CIK 022-B2-14 hydraulic rear brake

Ventilated Ø 175 brake disc

Floating brake disc support

Ø 19 master cylinder

2 Ø 24 pistons calliper

Set of Red brake pads

Steel brake rod with safety cable

Complementary accessories

2°/3°/4°/5°/6°/0° eccentrics

Ø 17 L 50/75 mm aluminium front wheel hub

Ø 30 L 30/50 mm aluminium rear wheel hub

Heel-rest kit

Set of 2 adjustable pedals

150 rear rims

130 Mag front rims